## Disseminated Gonococcal Infection Case Report Form (Version 1 March 2020)

REDCap Case ID (Gener	ated by REDCap):										
REPORTER INFORMATION	ON										
Date Form Completed (	MM/DD/YYYY):										
Name of Person Comple	eting Form:								Phone No:		
Agency:							Em	ail:			
CASE INFORMATION											
1a. Was case reported  Yes (Answer 1b)  No Unknown	If case sent State: MMWR Y Case Repo	1b. If yes, was the case sent via: ☐ NETSS If case sent via NETSS: State: MMWR Year: Case Report ID: Site Code:				If case	☐ MMG  If case sent via MMG:  National Reporting Jurisdiction (77968-6):  Local subject ID (INV168 in OBR-3):				
2. How was this case id (Check all that apply  Provider report  Laboratory repor  Other, specify	(See Case Clase Cl	3. Case status for disseminated infecti (See Case Classifications on page 1)  Confirmed Probable Suspect Unknown				4. Date first reported to health department:  (MM/DD/YYYY):					
CASE INFORMATION: [	DEMOGRAPHIC INFORM	ATION									
1. State of Residence   Not a US resident  Unknown	2. County of Residence  Not applicable Unknown	3. Age (In yea	3. Age (In years): _ □ □ ∪			4. Sex A  Male Fema Unkn	ile	Birth:	5. Current Gender:  Male Female Female-to-male transgender (FTM)	<ul><li>☐ Male-to-female transgender (MTF)</li><li>☐ Other gender identity</li><li>☐ Unknown</li></ul>	
6. Race (Check all that apply):  ☐ White ☐ American Indian or Alaska Native ☐ As ☐ Black ☐ Native Hawaiian or Other Pacific Islander ☐ Oi					ian ☐ Unknowr her race				7. Hispanic Ethnicity:  ☐ Hispanic or Latino ☐ Not Hispanic or Latino	□ Unknown	
CASE INFORMATION: F	PREGNANCY STATUS (Co	mplete ONLY if sex ass	ignec	at birt	h is i	female)					
CASE INFORMATION: PREGNANCY STATUS (Complete ONLY if sex assigne  1a. At time of DGI diagnosis, patient was:  □ Pregnant (Answer 1b, 2, 3) □ Neither □ Postpartum (Answer 1b, 2, 3) □ Unknown  1b. If pregnant or postpartum, what is (was) the due date (delivery date) of the patient:  2. If pregnant what was the gestational age at presentation?  weeks				<ul> <li>☐ Still birth (Gestational age ≥ 20 weeks)</li> <li>☐ Unknown</li> <li>☐ Spontaneous abortion/miscarriage (Gestational age &lt; 20 weeks)</li> </ul>						☐ Pregnancy Termination ☐ Still pregnant ☐ Unknown	
(MM/DD/YYYY):				<b>3b.</b> If survived with clinical infection with <i>N. gonorrhoeae</i> , what were the symptoms?  Symptoms:							
PAST MEDICAL HISTOR	Y (Check all that apply; i	include ANY known pas	t me				ng lifetime				
1. Condition/Diagnosi				/ No /							
Previous meningococo HIV infection Atypical hemolytic ure Generalized myasthen Paroxysmal nocturnal	d gonococcal infection (D cal infection emic syndrome (aHUS) dia gravis (GMG) hemoglobinuria (PNH) herapy (e.g. steroids, che			Yes		No	Unknown	If	· yes, specify		
Other				Yes	□ N	No 🗆	Unknown		yes, specify		

PAST MEDICAL HISTORY CONTINUED REDCap ID:									
2a. Did the patient receive any antibio	otics in the 1 montl	n prior to the current	t DGI diagn	osis? □	Yes (Answe	r 2b) □ No □	Unknown		
2b. If yes:				Er	equency			Date Started	
Antibiotic	Dose (	mg) Route (IV,	, IM, PO)		/ hours)	Duration (Days	)	(MM/DD/YYYY)	
							_		
		<del></del>							
		<del></del>							
3a. Prior to this gonococcal infection, complement cascade)? ☐ Yes (Answer	· -	· ·	of receiving	g the m	edication Ec	ulizumab (or other	biologic agen	ts that inhibit the	
3b. If yes:									
If not receiving Eculizumab, what con			-						
What was the date of the last dose in	which Eculizumab	(or other compleme	ent-inhibitii	ng biolo	gic agent) w	as administered (N	/IM/DD/YYYY)	?	
Did the patient receive antibiotic pro									
DGI CLINICAL COURSE: UROGENITAL/	EXTRAGENITAL SY	MPTOMS							
1a. Was the patient experiencing syn			al gonorrhe	ea (e.g.	. abnormal p	enile or vaginal dis	charge, dysur	ia, rectal	
bleeding/discharge/pain, abdominal	-	_	_		=	_		,	
1b. If yes, when did the patient	Symptom		Ye	es / No	/ Unknown		Date of Onse	et (MM/DD/YYYY)	
first seek medical care for the	Penile/Vaginal o	discharge		Yes	□ No	□ Unknown			
symptoms of urogenital and/or extragenital gonococcal infection	Dysuria			Yes	□ No	□ Unknown			
(MM/DD/YYYY)?	Sore throat		Г	Yes	□ No	□ Unknown			
		disabarga and/ar n		_					
	_	discharge, and/or pa	_	Yes	□ No	☐ Unknown			
	Abdominal or p	elvic pain		Yes	□ No	□ Unknown			
Testicular pain or swelling		or swelling		Yes	□ No	□ Unknown			
	Other, specify:		□	Yes	$\square$ No	$\square$ Unknown			
DGI CLINICAL COURSE: DGI CLINICAL	PRESENTATION, M	ANAGEMENT, AND C	OUTCOME						
1. When did the patient 1st develop [	OGI symptoms (e.g	fever chills malais	se rash ini	nt nain	or swelling)	(MM/DD/YYYY)?			
2. When did the patient first seek me									
2. When did the patient hist seek me	dical care for the L	odi symptoms (iviivi)	יטט, ווווין,			<del></del>			
3. In what type of medical facility was	the patient evalua								
☐ Emergency Department			ther special nfectious Di			s Medicine/Orthop	edics, Rheuma	tology,	
<ul><li>☐ Urgent care clinic</li><li>☐ Primary care clinic (e.g., Family Practice)</li></ul>	rtice Internal Medi		patient hos						
Pediatrics)	ctice, internal ivieur	•	-	•					
☐ STD specialty clinic			nknown						
4. Clinical Manifestations of DGI (Chec	ck all that annly):	5a Was the nation	nt admitted	l to a ho	osnital for	6a Did the na	itient have an	surgeries (inpatient or	
☐ Fever	он ин инии ирртуус	•					lated to DGI?	, saigenes (inputient of	
☐ Bacteremia	☐ Yes (Answer 5b)	) 🗆 No	☐ Unk	nown	☐ Yes (Answe	ver 6b) 🗆 No 🗆 Unknown			
☐ Endocarditis									
☐ Hepatitis 5b. If yes:			surgeries per			ase describe the formed below:	ne type and number of		
<ul><li>☐ Meningitis</li><li>☐ Myocarditis</li></ul>		Total Num	ber of Days	Hospit	alized	Jaigeries per	ornica below.	· 	
☐ Petechial/pustular skin lesions									
☐ Polyarthralgia		<del></del>							
☐ Septic arthritis									
☐ Tenosynovitis									
☐ Other, specify									
☐ Unknown									

DGI CLINICAL COURSE: DGI CLINICAL PRESENTATION, MANAGEMENT, AND OUTCOME CONTINUED  REDCap ID:  REDCap ID:										
7a. What was the clinical outcome of the DGI case?   Survived   Died   Unknown										
7b. If the patient died, what was the cause(s) of death:										
7c. Date of Death (MM/DD/YYYY):										
DGI TREATMENT (After DGI diagnosis was made)										
			Frequency		Data Charled					
Medication	Dose (mg)	Route (IV, IM, PO)		Duration (Days)	Date Started MM/DD/YYYY)					
1a. Ceftriaxone				·						
<b>1b.</b> Azithromycin										
1c. Other: Specify the name, dose (mg	), route (IV, IM, PO), fre	quency (every hours), c	luration (days), and d	late started for other antibiotics pa	tient was treated with.					
2. If patient didn't complete the appr	opriate/recommended	l treatment for DGI, was t	here any documenta	ation as to why treatment wasn't a	dministered/completed?					
<ul><li>Yes, patient left against medical ad</li></ul>										
☐ Yes, patient left before diagnosis w										
☐ Yes, other reason, specify										
□ No, no documentation										
☐ Not applicable (completed recomm	ended treatment)									
☐ Unknown										
LABORATORY RESULTS (Use a separat	e line for each specimer	ı tested)								
Was N. gonorrhoeae testing performe	ed at <u>disseminated sites</u>	of infection during the cu	ırrent DGI presentati	ion?   Yes (Complete table)	□ No □ Unknown					
Date of Specimen Collection	Specimen Type (Sel	ect one)		Diagnostic Test Type (Select one)	Result (Select one)					
(MM/DD/YYYY)	$\square$ Blood	☐ Skin lesion		□ NAAT*	☐ Positive					
	$\square$ Synovial fluid	$\square$ Other, specify:		☐ Culture	☐ Negative					
	☐ CSF*	□ Unknown		Other, specify:	$\square$ Indeterminant					
				Unknown	☐ Unknown					
	☐ Blood	☐ Skin lesion	Γ	□ NAAT*	☐ Positive					
	☐ Synovial fluid	☐ Other, specify:		□ Culture	☐ Negative					
	□ CSF*	☐ Unknown		Other, specify:	☐ Indeterminant					
				Unknown	□ Unknown					
	□ Blood	Ckin locion	Г	¬ NIA AT*	□ Docitivo					
	<ul><li>☐ Blood</li><li>☐ Synovial fluid</li></ul>	<ul><li>☐ Skin lesion</li><li>☐ Other, specify:</li></ul>		□ NAAT* □ Culture	<ul><li>☐ Positive</li><li>☐ Negative</li></ul>					
		☐ Unknown		☐ Other, specify:	☐ Indeterminant					
	□ C3F	□ Olikilowii		Unknown	☐ Unknown					
					- Olikilowii					
Please provide details for any other N	. gonorrhoeae testing p	performed at disseminate	d sites of infection.							
*CSF=cerebrospinal fluid; NAAT=nucleic acid amplification test										

LABORATORY RESULTS (Use a separate line for e	ach specime	en tested)	REDCap ID:	
		a-genital mucosal sites in the 1	.2 months prior to and including the current DGI p	resentation?
☐ Yes (Complete table) ☐ No ☐ Unknown				
	men Type (S	elect one)	Diagnostic Test Type (Select one	Result (Select one)
(MM/DD/YYYY)	ne	☐ Pharyngeal	□ NAAT*	☐ Positive
□ End	docervical	☐ Rectal	☐ Culture	□ Negative
	ginal	Other, specify:	Other, specify:	
□ Ure	ethral	□ Unknown	☐ Unknown	☐ Unknown
□ Uri	ne	☐ Pharyngeal	□ NAAT*	☐ Positive
□ End	docervical	☐ Rectal	☐ Culture	☐ Negative
Va <sub>8</sub>	ginal	☐ Other, specify:	Other, specify:	☐ Indeterminant
□ Ure	ethral	☐ Unknown	☐ Unknown	☐ Unknown
□ Uri	ne	☐ Pharyngeal	□ NAAT*	☐ Positive
□ Enc	docervical	☐ Rectal	□ Culture	☐ Negative
		Other, specify:		☐ Indeterminant
		☐ Unknown	□ Unknown	□ Unknown
NAAT=nucleic acid amplification test				
ere any available <i>N. gonorrhoeae</i> isolates sent	to CDC for f	urther testing? $\square$ Yes $\square$ No	□ Unknown	
OR CDC USE ONLY: CDC LRRB Assigned ID:				
BEHAVIORAL AND PARTNER INFORMATION (Coll	lected from	medical chart review and/or p	patient interview)	
. <b>Gender of sex partners in the past 12 months (</b> ☐ Male ☐ Female ☐ Female-to-male transge			ler (MTF)	
Exchanged money, food/lodging, or drugs for s	ex in the pa	st 12 months:   Yes   No	☐ Unknown	
. Homelessness (e.g., living on the street, in a sh ☐ Yes ☐ No ☐ Unknown	elter/a sing	le-room occupancy hotel, in a	car) at any time during the past 12 months:	
. Reports using drugs:				
	Reports usi	ng drug in the past 12 months	(or positive drug test) If used in past 12 mo	nths, was it injected?
a. Methamphetamine		No Don't know Refu		
b. Heroin				on t know ∟⊨ Kerusea
	yes □	NO □ DOULT KNOW     KETTI	sea i i ves i i no i i i i	
c. Other opioid (includes prescription painkillers)		No ☐ Don't know ☐ Refusion ☐ Don't know ☐ Refusion ☐ Refusion ☐ Don't know ☐ Refusion ☐		on't know 🛚 Refused
<b>c.</b> Other opioid (includes prescription painkillers) <b>d.</b> Cocaine/Crack		No □ Don't know □ Refu	sed	

BEHAVIORA	REDCap ID:								
5a. Was the patient interviewed by a Disease Intervention Specialist (DIS) or other public health staff?   Yes (Answer 5b)   No   Unknown									
If yes:									
5b. Did the patient report any sex or needle sharing partners or associates: ☐ Yes ☐ No ☐ Unknown									
If partner in	nformation available, complete the t	able below.							
Partner	Partner Gender (Select one)	Partner Type (Select one)	Locating Information Provided (Select one)	Interview Performed (Select one)	Gonorrhea Case (Select one)	DGI Case (Select one)	Isolate Sent to CDC for Additional Testing (Select one)		
	☐ Male	□ Sex	☐ Yes	☐ Yes	☐ Yes	☐ Yes	□ Yes		
	☐ Female	☐ Needle sharing	□ No	□ No	□ No	□ No	□ No		
	<ul><li>☐ Male-to-female transgender</li><li>☐ Female-to-male transgender</li></ul>	☐ Sex AND needle sharing	☐ Unknown	☐ Unknown	☐ Unknown	☐ Unknown	☐ Unknown		
	☐ Other gender identity	☐ Associate							
	☐ Unknown								
	☐ Male	□ Sex	☐ Yes	□ Yes	☐ Yes	☐ Yes	□ Yes		
	☐ Female	☐ Needle sharing	□ No	□ No	□ No	□ No	□ No		
	$\square$ Male-to-female transgender	☐ Sex <i>AND</i> needle	☐ Unknown	$\square$ Unknown	$\square$ Unknown	$\square$ Unknown	□ Unknown		
	☐ Female-to-male transgender	sharing □ Associate							
	<ul><li>☐ Other gender identity</li><li>☐ Unknown</li></ul>	□ Associate							
	_ ~								
	☐ Male	□ Sex	☐ Yes	☐ Yes	☐ Yes	☐ Yes	☐ Yes		
	<ul><li>☐ Female</li><li>☐ Male-to-female transgender</li></ul>	<ul><li>☐ Needle sharing</li><li>☐ Sex AND needle</li></ul>	□ No □ Unknown	□ No □ Unknown	<ul><li>□ No</li><li>□ Unknown</li></ul>	☐ No ☐ Unknown	☐ No ☐ Unknown		
	☐ Female-to-male transgender	sharing	□ Olikilowii	□ Ulikilowii	□ Ulikilowii	□ OHKHOWH	□ Olikilowii		
	☐ Other gender identity	☐ Associate							
	☐ Unknown								
	☐ Male	□ Sex	☐ Yes	☐ Yes	☐ Yes	☐ Yes	□ Yes		
	☐ Female	$\square$ Needle sharing	□ No	□ No	□ No	□ No	□ No		
	☐ Male-to-female transgender	☐ Sex <i>AND</i> needle	☐ Unknown	☐ Unknown	□ Unknown	☐ Unknown	☐ Unknown		
	<ul><li>☐ Female-to-male transgender</li><li>☐ Other gender identity</li></ul>	sharing □ Associate							
	☐ Unknown								
	<ul><li>☐ Male</li><li>☐ Female</li></ul>	<ul><li>☐ Sex</li><li>☐ Needle sharing</li></ul>	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No		
	☐ Male-to-female transgender	☐ Sex <i>AND</i> needle	☐ Unknown	□ Unknown	□ Unknown	☐ Unknown	☐ Unknown		
	☐ Female-to-male transgender	sharing							
	☐ Other gender identity	☐ Associate							
	□ Unknown								
	☐ Male	□ Sex	☐ Yes	☐ Yes	☐ Yes	☐ Yes	☐ Yes		
	☐ Female	☐ Needle sharing	□ No	□ No	□ No	□ No	□ No		
	<ul><li>☐ Male-to-female transgender</li><li>☐ Female-to-male transgender</li></ul>	☐ Sex AND needle sharing	□ Unknown	☐ Unknown	☐ Unknown	□ Unknown	☐ Unknown		
	☐ Other gender identity	☐ Associate							
	☐ Unknown								
Include information on any additional partners.									
FOR CDC US	E ONLY								
If partner isolate was sent to CDC for additional testing:									
CDC LRRB Assigned ID:									